10/18/26

SilentGliss

More information
silentgliss.com

COLORAMA 2 MULTICOLOUR

- Exclusive Colorama Trevira CS fabric woven with a multicolour yarn for texture and tonality
- Cradle to Cradle Certified™ Bronze
- Standard 100 by Oeko-Tex® certified, free from harmful substances
- Washable up to 72°
- Proven acoustic properties

APPLICATIONS

FABRIC PROPERTIES

	Semi transparent
	Polyester Trevira CS
	260 g/m²
	0.55 mm
max.	325 cm
	330 cm
	330 cm

WASHING INSTRUCTIONS

FEATURES / TECHNICAL PROPERTIES

	6
	Alpha-w = 0.30 / 0.65
	Flame retardant
	Applicable in humid areas
	Fabric must be turned
	Fabric must be turned
	Oeko-Tex, Cradle to Cradle

FLAME RETARDANT

B-s1,d0 (EN 13501-1)
Class 1 (EN 13773)
Class 1 (UNI 8456)
B1 (DIN 4102-1)
M1 (NF P 92-503/5/7)
Type C (BS 5867-2)
NFPA 701

Colorama 2 Multicolour

OPTICAL AND SOLAR COEFFICIENTS (± 5%, DIN EN 410)

Colour	T_V	T_S	R_S	A_S	T_{UV}	F_C	g_{tot}
111	27.4	27.0	64.4	8.6	6.6	0.53	0.38
131	17.8	18.9	47.6	33.5	6.8	0.63	0.45
161	9.5	10.4	41.8	47.8	5.8	0.66	0.48
181	6.8	7.1	28.7	64.2	4.7	0.74	0.53
211	21.5	23.9	62.4	13.7	11.7	0.54	0.39
261	8.7	9.5	38.9	51.6	5.1	0.68	0.49
431	10.2	15.8	49.3	34.9	6.4	0.62	0.44
461	9.8	17.3	43.8	38.9	4.8	0.65	0.47

Fc + gtot: Value calculated with glass: 0.72 / Ug = 1.6 W/m² K, DIN EN 13363-1

Colorama 2 Multicolour

CLASSIFICATION OF SOLAR SHADING DEVICES (DIN EN 14501:2021)

Colour	Glare control	Privacy at night	Sight contact with the outside	Daylight utilisation	Colour rendering index (CRI)
111	0	2	0	2	0
131	2	2	1	2	0
161	3	2	1	1	0
181	3	2	1	1	0
211	1	2	0	2	0
261	3	2	1	1	0
431	3	2	1	1	0
461	3	2	1	1	0

0: No effect, 1: Low effect, 2: Medium effect, 3: High effect, 4: Very high effect

Colorama 2 Multicolour

111

131

161


181

211

261

431

461

Colours shown are not binding