

MULTICOLOUR NATURA

- Structured polyester fabric with a distinctively natural linen-look
- Standard 100 by Oeko-Tex® certified, free from harmful substances
- Washable up to 72°

APPLICATIONS





FABRIC PROPERTIES


 Semi transparent

 Polyester

 210 g/m²

 0.45 mm

 ← max. → 325 cm

 330 cm


FEATURES / TECHNICAL PROPERTIES

 6

 Alpha-w = 0.30

 Flame retardant

 Applicable in humid areas

 Suitable for Wave

 Oeko-Tex

WASHING INSTRUCTIONS



FLAME RETARDANT

Class 1 (EN 13773)
Type B (BS 5867-2)



Multicolour Natura

OPTICAL AND SOLAR COEFFICIENTS (± 5%, DIN EN 410) ⌆

Colour	T_V	T_S	R_S	A_S	T_{UV}	F_C	g_{tot}
10	34.0	33.3	60.7	6.0	11.7	0.56	0.40
20	19.6	20.9	43.5	35.6	11.1	0.66	0.47
30	18.6	19.6	40.6	39.8	10.1	0.68	0.49
40	15.7	16.6	31.2	52.2	9.8	0.73	0.53
50	27.0	31.7	51.6	16.7	17.7	0.61	0.44
60	20.9	25.4	41.6	33.0	16.2	0.67	0.48
70	17.2	21.4	37.5	41.1	14.6	0.70	0.50
80	15.5	18.7	27.7	53.6	13.0	0.76	0.54

F_c + g_{tot}: Value calculated with glass: 0.72 / U_g = 1.6 W/m² K, DIN EN 13363-1

Multicolour Natura

CLASSIFICATION OF SOLAR SHADING DEVICES (DIN EN 14501:2021) ⌆


Colour	Glare control	Privacy at night	Sight contact with the outside	Daylight utilisation
10	0	1	1	3
20	0	1	2	2
30	0	1	2	2
40	0	1	2	2
50	0	1	1	2
60	0	1	2	2
70	0	1	2	2
80	0	1	2	2

0: No effect, 1: Low effect, 2: Medium effect, 3: High effect, 4: Very high effect


Multicolour Natura




10



20



30



40




50



60



70



80

Colours shown are not binding