


SG 6820



PRODUCT INFORMATION


- **Operation:** hand
- **Range:** S - M
- **Fitting:** ceiling
- **Colours:** white RAL 9016; special colours or anodised aluminum possible
- **Fabrics:** refer to Silent Gliss fabric collection

Features:

- 2-component (2C) glider technology
- Wave (2C)
- Symmetrical funnel design
- Bendable

SYSTEM SPECIFICATIONS


A. SYSTEM DIMENSIONS



10 kg

B. PROFILE

Profile and bending information




SG 6821

Profile Funnel

Radius: >27 cm



C. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

D. SPECIFICATION TEXT


Silent Gliss SG 6820 Hand Operated Curtain Track System. Comprises aluminium profile SG 6821 made to measure powder coated white, with gliders SG 11300 at 14/m and 2 end covers SG 6823 and 2 end stops SG 6065 per length. Top fixed with clip brackets SG 11236 at 500mm centres. Silent Gliss Wave option is available using 60mm glider cord 11303 / 80mm glider cord 11302.

FITTING


A. FITTING INFORMATION

For detailed fitting information, visit the *Silent Gliss* website.

Fixing points



Fitting Tool





A: Funnel fitting tool SG 6827

For fitting / removing of the funnel profile.

B. CEILING FITTING

Clip SG 11236




SG 11236


Clip

SYSTEM OPTIONS

A. WAVE



SG 11295




SG 11302




SG 2255



SG 2256




SG 6099




SG 6364




SG 6365



SG 6366



SG 10430-34



SG 11303

Standard components:


- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm

Optional components:


- SG 2255 Brake
- SG 2256 Brake
- SG 6099 Wave roller cord 80 mm
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm



SG 3582



SG 6349



SG 6363



SG 10075




SG 10076

Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

Wave stack depth - 2C glider cord (standard components)



2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

*Stack size B when using optional extension arm SG 6364 increases by 95 mm per curtain stack!

PARTS

A. STANDARD PARTS



SG 6065

End stop




SG 6821

Profile Funnel




SG 6823

End cover



SG 11236


Clip



SG 11300

2C glider

B. OPTIONAL PARTS



SG 2255

Brake



SG 2256

Brake



SG 3582

Hook



SG 3599

Hook




SG 3802

Connection bridge



SG 6053

Spring stop



SG 6086

Spring stop




SG 6094

Roller



SG 6098

Roller




SG 6099

Wave roller cord 80 mm




SG 6146

Hook




SG 6283

Roller




SG 6349

Wave curtain tape



SG 6363

Wave top hemming tape




SG 6364

Wave extension



SG 6365

Wave hanger




SG 6366

Wave carrier for draw rod




SG 10075

Lead weight 50 g/m




SG 10076

Fabric weight




SG 10430

Draw rod 50 cm




SG 10431

Draw rod 75 cm




SG 10432

Draw rod 100 cm




SG 10433

Draw rod 125 cm



SG 10434

Draw rod 150 cm




SG 11295

End stop




SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm

