# SG 2700

PRODUCT INFORMATION

– **Operation:** hand

– **Range:** S - L

– **Fitting:** ceiling, wall, recess

– **Colours:** white RAL 9016; special colours or anodised aluminum possible

– **Fabrics:** refer to Silent Gliss fabric collection

Features:

– *2-component (2C) roller technology*

– *Silent and smooth running*

– *Detachable fabric panels*

– *Aluminium carriers*

– *Free floating or connected panels*

SilentGliss

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS

← max. →	↕ max.	**kg** max.
Panels free floating: unlimited Panels connected: 6 m	4 m	Max. 2 kg per m

B. PROFILE

Profile information

SG 10122
Profile 2-channel

SG 10123
Profile 3-channel

SG 10124
*Profile 4-channel*

SG 10125
*Profile 5-channel*

SG 10172
*Recess profile 2-channel*

SG 10173
*Recess profile 3-channel*

SG 10174
Recess profile 4-channel

**SG 10175**
Recess profile 5-channel

SG 2006
Bottom bar 28x3 mm

SG 10230
Carrier alu

C. HOW TO MEASURE

A: System width
B: System height
C: Distance between floor and fabric

Dimensions of Panels

Free floating:
A: Recommended panel width: 500 - 1200

Connected:
A: Recommended panel width: 500 - 1200
B: Overlap: min. 50

D. SPECIFICATION TEXT

Silent Gliss SG 2700 Hand Operated Panel Glide System. Supplied made to measure and complete comprising profiles SG 10122 / SG 10123 / SG 10124 / SG 10125 as necessary with carriers SG 10230 with associated components and bottom weight SG 2006. Fabric panels stack right hand single / left hand single / pair / centre. Hand operated with panels unconnected / connected using draw rod SG 10430 / SG 10431 / SG 10432 / SG 10433 / SG 10434. Ceiling fixed using clamps SG 3003 / SG 3004 or brackets SG 10136 / SG 10137. Wall fix with Smart Fix brackets SG 11200-11204 / Square Smart Fix brackets SG 11210-11214 / Universal Smart Fix brackets SG 11154 -11156 with either SG 10136 or SG 10137 brackets. Recess fixed option with recess profile SG 10172 / SG 10173 / SG 10174 / SG 10175. Fabric to be chosen from Silent Gliss fabric collection, Price Group 1 / 2 / 3 / 4.

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points

100   max. 800   max. 800   100

B. CEILING FITTING

Clamp SG 3003 / SG 3004

Clamp	SG 10122	SG 10123	SG 10124	SG 10125
SG 3004	X			
SG 3003		X	X	X

SG 3003
Clamp

SG 3004
Clamp

Bracket SG 10136 / SG 10137

Bracket	SG 10122	SG 10123	SG 10124	SG 10125
SG 10136	X			
SG 10137		X	X	X

SG 10136
Bracket

SG 10137
Bracket

C. WALL FITTING

Smart Fix

Smart Fix SG 11200 - SG 11204:
Bracket SG 10136 for 2 channel profile.
Bracket SG 10137 for more than 2 channel profiles.
Screw SG 10395 (M4x6) needed.

Smart Fix	X mm (SG 10122)	X mm (SG 10123)	X mm (SG 10124)	X mm (SG 10125)
SG 11200 / SG 11210	43	24	24	24
SG 11201 / SG 11211	63	44	44	44
SG 11202 / SG 11212	83	64	64	64
SG 11203 / SG 11213	103	84	84	84
SG 11204 / SG 11214	133	114	114	114
SG 11154	93-121	74-102	74-102	74-102
SG 11155	123-151	104-132	104-132	104-132
SG 11156	172-201	154-182	154-182	154-182

Square Smart Fix SG 11210 - SG 11214:
Bracket SG 10136 for 2 channel profile.
Bracket SG 10137 for more than 2 channel profiles.
Screw SG 10395 (M4x6) needed.

Universal Smart Fix SG 11154 - SG 11156:
Bracket SG 10136 for 2 channel profile.
Bracket SG 10137 for more than 2 channel profiles.
Screw SG 10492 (M4x8) needed.

SG 10136	**SG 10137**	**SG 10395**	**SG 10492**
Bracket	Bracket	Pan head screw M4x6	Pan head screw M4x8

SG 11200	**SG 11201**	**SG 11202**	**SG 11203**
Smart Fix 60 mm	Smart Fix 80 mm	Smart Fix 100 mm	Smart Fix 120 mm

SG 11204	**SG 11210**	**SG 11211**	**SG 11212**
Smart Fix 150 mm	Square Smart Fix 60 mm	Square Smart Fix 80 mm	Square Smart Fix 100 mm

|			
SG 11213	**SG 11214**	**SG 11154**	**SG 11155**
Square Smart Fix 120 mm	Square Smart Fix 150 mm	Universal Smart Fix 120 mm	Universal Smart Fix 150 mm

SG 11156

Universal Smart Fix 200 mm

D. RECESS FITTING

**Recess profiles
SG 10172 - SG 10175**

*One wedge SG 10157 per fixing point.
For detailed recess fitting, visit the Silent Gliss website.*

SG 10157

Wedge

**SG 10172**

Recess profile 2-channel

SG 10173

Recess profile 3-channel

SG 10174

Recess profile 4-channel

SG 10175

Recess profile 5-channel

SYSTEM OPTIONS

A. OPERATION

Free floating (unconnected panels)

SilentGliss

B. PANEL STACKING
   ## (CONNECTED)

Single stack
Note: dot = fixed panel

*Pair stack*
Note: dot = fixed panel

Other variations are possible.

PARTS

A. STANDARD PARTS

SG 2006
Bottom bar 28x3 mm

SG 2539
Tape

SG 3003
Clamp

SG 10123
Profile 3-channel

SG 10143
Cover

SG 10159
Countersunk head screw 3.5x13

SG 10200
2C roller

SG 10230
Carrier alu

SG 10252
*End cover left*

SG 10253
End cover right

SG 10432
Draw rod 100 cm

B. OPTIONAL PARTS

SG 3004
Clamp

SG 3008
Connection bridge

SG 6024
Connection bridge

SG 10074
Countersunk head screw M4x8

SG 10122
Profile 2-channel

SG 10124
Profile 4-channel

SG 10125
Profile 5-channel

SG 10136
Bracket

SG 10137
Bracket

SG 10140
Angle

SG 10142
End cover

SG 10144
End cover

SG 10145
End cover

SG 10146
Angle

SG 10148
Eyelet for draw rod

SG 10156
End stop

SG 10157
Wedge

SG 10158
Click glider

SG 10172
Recess profile 2-channel

SG 10173
Recess profile 3-channel

SG 10174
Recess profile 4-channel

SG 10175
Recess profile 5-channel

SG 10340
Eyelet for draw rod

SG 10395
Pan head screw M4x6

SG 10430
Draw rod 50 cm

SG 10431
Draw rod 75 cm

SG 10433
Draw rod 125 cm

SG 10434
Draw rod 150 cm

SG 10492

Pan head screw M4x8

SG 11154

Universal Smart Fix 120 mm

**SG 11155**

*Universal Smart Fix 150 mm*

SG 11156

*Universal Smart Fix 200 mm*

SG 11200

Smart Fix 60 mm

SG 11201

Smart Fix 80 mm

SG 11202

Smart Fix 100 mm

SG 11203

*Smart Fix 120 mm*

SG 11204

Smart Fix 150 mm

SG 11210

*Square Smart Fix 60 mm*

**SG 11211**

Square Smart Fix 80 mm

SG 11212

Square Smart Fix 100 mm

SG 11213

Square Smart Fix 120 mm

SG 11214

Square Smart Fix 150 mm

SilentGliss

SilentGliss

SilentGliss